

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Plastiform F50 XL Comp. A

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

Impressions of industrial parts

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

RIVELEC

Parc D'Activité Charles Martel-Larzat 202, Rue Gustave Courbet

34750 VILLENEUVE LES MAGUELONE

Telephone no. +33 (0)1 30 95 45 45

Fax no. +33 (0)1 30 95 77 77

Information provided by / telephone RIVELEC Département Recherche &amp; Développement Tel.: +33 (0)1 30 95 45 45

E-mail address of person responsible infos@plastiform.info

for this SDS

### 1.4. Emergency telephone number

Australia : Poisons Information Centre - Phone number : 131126

Canada : American Association of Poison Control Centers - Phone number : 1-800-222-1222

India : Poison Control Centre - Phone number : +91 98 952 82 388

Japan : Osaka Information Service branch - Phone number : +81 (0)72 727 2499

New Zealand : New Zealand National Poisons Centre - Phone number : 800764766

South Africa : Tygerberg Poison Information Centre - Phone number : +27 (0)861 555 777

United Kingdom : National Poisons Information Service - Phone number : 8448920111

United States Of America : American Association of Poison Control Centers - Phone number : 1-800-222-1222

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Supplemental information

EUH210

Safety data sheet available on request.

### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Addition-vulcanising 2-component silicone

#### Hazardous ingredients

##### Cristobalite

CAS No. 14464-46-1

EINECS no. 238-455-4

Concentration  $\geq$  25 < 50 %

Classification (Regulation (EC) No. 1272/2008)

STOT RE 1 H372

# See additional  
information in  
section 16

##### White mineral oil

CAS No. 8042-47-5

EINECS no. 232-455-8

Registration no. 01-2119487078-27

Concentration  $\geq$  1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Asp. Tox. 1 H304

# See additional  
information in  
section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

No special measures required

#### After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

#### After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

#### After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

#### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Extinguishing measures to suit surroundings

#### Non suitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

#### Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Do not allow to enter drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Observe the usual precautions for handling chemicals. For personal protection see Section 8.

#### Advice on protection against fire and explosion

No special measures required.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

Store product in closed containers.

**Hints on storage assembly**

Do not store together with foodstuffs.

**Further information on storage conditions**

Keep container tightly closed and dry.

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters****Other information**

Contains no substances with occupational exposure limit values.

**Derived No/Minimal Effect Levels (DNEL/DMEL)****White mineral oil**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Repeated exposure	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	164,6	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Repeated exposure	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	217,1	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	34,78	mg/m <sup>3</sup>
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	93,02	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	25	mg/kg/d

**8.2. Exposure controls****General protective and hygiene measures**

Observe the usual precautions for handling chemicals. Do not eat, drink or smoke during work time.

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

Wash hands before breaks and after work. Avoid contact with eyes.

**Respiratory protection**

Not necessary.

**Hand protection**

Not necessary.

**Eye protection**

Not necessary.

**Body protection**

Clothing as usual in the chemical industry.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	liquid	
<b>Colour</b>	white	
<b>Odour</b>	characteristic	
<b>Melting point</b>		
Remarks	not determined	
<b>Freezing point</b>		
Remarks	not determined	
<b>Boiling point or initial boiling point and boiling range</b>		
Value	> 300	°C
<b>Flammability</b>		
evaluation	not determined	
<b>Upper and lower explosive limits</b>		
Remarks	not determined	
<b>Flash point</b>		
Value	> 110	°C
Method	closed cup	
<b>Auto-ignition temperature</b>		
Remarks	not determined	
<b>Decomposition temperature</b>		
Remarks	not determined	
<b>pH value</b>		
Remarks	not determined	
<b>Viscosity</b>		
Remarks	not determined	
<b>Solubility(ies)</b>		
Remarks	not determined	
<b>Partition coefficient n-octanol/water (log value)</b>		
Remarks	not determined	
<b>Vapour pressure</b>		
Remarks	not determined	
<b>Density and/or relative density</b>		

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

Value	1,25		g/cm <sup>3</sup>
Temperature	20	°C	

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks virtually insoluble

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

## SECTION 11: Toxicological information

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute oral toxicity (Components)****White mineral oil**

Species	rat		
LD50	>	5000	mg/kg

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

Method OECD 401

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)****White mineral oil**

Species rabbit  
 LD50 > 2000 mg/kg  
 Method OECD 402

**Acute inhalational toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute inhalative toxicity (Components)****White mineral oil**

Species rat  
 LC50 > 5,2 mg/l  
 Duration of exposure 4 h  
 Administration/Form Dust/Mist  
 Method OECD 403

**Skin corrosion/irritation**

Remarks Based on available data, the classification criteria are not met.

**Serious eye damage/irritation**

Remarks Based on available data, the classification criteria are not met.

**Sensitization**

Remarks Based on available data, the classification criteria are not met.

**Subacute, subchronic, chronic toxicity**

Remarks not determined

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) (Components)****Cristobalite****Repeated exposure**

evaluation Causes damage to organs through prolonged or repeated exposure  
 Route of exposure inhalative

**Aspiration hazard**

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard (Components)****White mineral oil**

Harmful: may cause lung damage if swallowed.

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

## 11.2. Information on other hazards

### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

### Other information

No toxicological data are available.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### General information

not determined

#### Fish toxicity (Components)

##### White mineral oil

Species	golden orfe ( <i>Leuciscus idus</i> )		
LC50	> 10000		mg/l
Duration of exposure	96	h	
Method	OECD 203		

#### Daphnia toxicity (Components)

##### White mineral oil

Species	Daphnia magna		
LL50	> 100		mg/l
Duration of exposure	48	h	
Method	OECD 202		

##### White mineral oil

Species	Daphnia magna		
NOEL	>= 1000		mg/l
Duration of exposure	21	d	
Method	OECD 211		

#### Algae toxicity (Components)

##### White mineral oil

Species	<i>Pseudokirchneriella subcapitata</i>		
LOEC	>= 100		mg/l
Duration of exposure	72	h	
Method	OECD 201		

### 12.2. Persistence and degradability

#### General information

not determined

#### Biodegradability (Components)

##### White mineral oil

Value	31		%
Duration of test evaluation	28	d	
Method	Moderately/partially biodegradable		
	OECD 301 F		

### 12.3. Bioaccumulative potential

#### General information

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Octanol/water partition coefficient (log Pow) (Components)****White mineral oil**

log Pow	4,3	to	18,02
Temperature	20	°C	
Source	ECHA		

**12.4. Mobility in soil****General information**

not determined

**12.5. Results of PBT and vPvB assessment****General information**

not determined

**Results of PBT and vPvB assessment**

The product contains no PBT substances  
The product contains no vPvB substances.

**12.6 Endocrine disrupting properties****Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects****General information**

not determined

**General information / ecology**

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods****Disposal recommendations for the product**

Must not be disposed together with household garbage.  
Dispose of waste according to applicable legislation.

**Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## SECTION 14: Transport information

Trade name: Plastiform F50 XL Comp. A

Substance number: 20801

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other information

All components are contained in the TSCA inventory or exempted.

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Hazard statements listed in Chapter 2/3

H304 May be fatal if swallowed and enters airways.  
H372 Causes damage to organs through prolonged or repeated exposure.

### CLP categories listed in Chapter 2/3

Asp. Tox. 1 Aspiration hazard, Category 1  
STOT RE 1 Specific target organ toxicity - repeated exposure, Category 1

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

# In accordance with legal regulations (REACH), hazardous substances contained in our products must be mentioned in section 3 or section 8. However, these substances only present a potential hazard in their original form, e.g. cristobalite, which can be inhaled.  
Embedded in a silicone matrix, these substances are not longer powdery, liquid, etc and do not present a hazard in the sense of their original classification. Our silicone products are therefore not classified as hazardous substances.

Trade name: Plastiform F50 XL Comp. B

Substance number: 20802

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Plastiform F50 XL Comp. B

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

Impressions of industrial parts

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

RIVELEC

Parc D'Activité Charles Martel-Larzat 202, Rue Gustave Courbet

34750 VILLENEUVE LES MAGUELONE

Telephone no. +33 (0)1 30 95 45 45

Fax no. +33 (0)1 30 95 77 77

Information provided by / telephone RIVELEC Département Recherche &amp; Développement Tel.: +33 (0)1 30 95 45 45

E-mail address of person responsible infos@plastiform.info

for this SDS

### 1.4. Emergency telephone number

Australia : Poisons Information Centre - Phone number : 131126

Canada : American Association of Poison Control Centers - Phone number : 1-800-222-1222

India : Poison Control Centre - Phone number : +91 98 952 82 388

Japan : Osaka Information Service branch - Phone number : +81 (0)72 727 2499

New Zealand : New Zealand National Poisons Centre - Phone number : 800764766

South Africa : Tygerberg Poison Information Centre - Phone number : +27 (0)861 555 777

United Kingdom : National Poisons Information Service - Phone number : 8448920111

United States Of America : American Association of Poison Control Centers - Phone number : 1-800-222-1222

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Supplemental information

EUH210

Safety data sheet available on request.

### 2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product

Trade name: Plastiform F50 XL Comp. B

Substance number: 20802

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Chemical characterization

Addition-vulcanising 2-component silicone

#### Hazardous ingredients

##### Cristobalite

CAS No. 14464-46-1

EINECS no. 238-455-4

Concentration  $\geq$  25 < 50 %

Classification (Regulation (EC) No. 1272/2008)

STOT RE 1 H372

# See additional  
information in  
section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

No special measures required

#### After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

#### After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

#### After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

#### After ingestion

Do not induce vomiting - aspiration hazard. Summon a doctor immediately.

#### Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Trade name: Plastiform F50 XL Comp. B

Substance number: 20802

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

**Suitable extinguishing media**

Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Extinguishing measures to suit surroundings

**Non suitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

In case of combustion evolution of dangerous gases possible.

**5.3. Advice for firefighters****Special protective equipment for fire-fighting**

In case of combustion use a suitable breathing apparatus.

**Other information**

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin, eyes and clothing.

**6.2. Environmental precautions**

Do not allow to enter drains or waterways.

**6.3. Methods and material for containment and cleaning up**

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**6.4. Reference to other sections**

Refer to protective measures listed in Sections 7 and 8.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Observe the usual precautions for handling chemicals. For personal protection see Section 8.

**Advice on protection against fire and explosion**

No special measures required.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Store product in closed containers.

**Hints on storage assembly**

Do not store together with foodstuffs.

**Further information on storage conditions**

Keep container tightly closed and dry.

Trade name: Plastiform F50 XL Comp. B

Substance number: 20802

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Other information

Contains no substances with occupational exposure limit values.

### 8.2. Exposure controls

#### General protective and hygiene measures

Observe the usual precautions for handling chemicals. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Avoid contact with eyes.

#### Respiratory protection

Not necessary.

#### Hand protection

Not necessary.

#### Eye protection

Not necessary.

#### Body protection

Clothing as usual in the chemical industry.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	liquid	
<b>Colour</b>	black	
<b>Odour</b>	characteristic	
<b>Melting point</b>		
Remarks	not determined	
<b>Freezing point</b>		
Remarks	not determined	
<b>Boiling point or initial boiling point and boiling range</b>		
Value	> 300	°C
<b>Flammability</b>		
evaluation	not determined	
<b>Upper and lower explosive limits</b>		
Remarks	not determined	
<b>Flash point</b>		
Value	> 110	°C
Method	closed cup	
<b>Auto-ignition temperature</b>		
Remarks	not determined	
<b>Decomposition temperature</b>		
Remarks	not determined	
<b>pH value</b>		
Remarks	not determined	

Trade name: Plastiform F50 XL Comp. B

Substance number: 20802

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

**Viscosity**

Remarks not determined

**Solubility(ies)**

Remarks not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Vapour pressure**

Remarks not determined

**Density and/or relative density**

Value	1,28		g/cm <sup>3</sup>
Temperature	20	°C	

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks virtually insoluble

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

No hazardous reactions known.

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

Trade name: Plastiform F50 XL Comp. B

Substance number: 20802

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

#### Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

#### Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

#### Sensitization

Remarks Based on available data, the classification criteria are not met.

#### Subacute, subchronic, chronic toxicity

Remarks not determined

#### Mutagenicity

Remarks Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

#### Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT)

##### Single exposure

Remarks Based on available data, the classification criteria are not met.

##### Repeated exposure

Remarks Based on available data, the classification criteria are not met.

#### Specific Target Organ Toxicity (STOT) (Components)

##### Cristobalite

##### Repeated exposure

evaluation Causes damage to organs through prolonged or repeated exposure  
Route of exposure inhalative

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

#### Other information

No toxicological data are available.

Trade name: Plastiform F50 XL Comp. B

Substance number: 20802

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

## SECTION 12: Ecological information

### 12.1. Toxicity

#### General information

not determined

### 12.2. Persistence and degradability

#### General information

not determined

### 12.3. Bioaccumulative potential

#### General information

not determined

#### Partition coefficient n-octanol/water (log value)

Remarks not determined

### 12.4. Mobility in soil

#### General information

not determined

### 12.5. Results of PBT and vPvB assessment

#### General information

not determined

#### Results of PBT and vPvB assessment

The product contains no PBT substances  
The product contains no vPvB substances.

### 12.6 Endocrine disrupting properties

#### Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

#### General information

not determined

#### General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Must not be disposed together with household garbage.  
Dispose of waste according to applicable legislation.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

Trade name: Plastiform F50 XL Comp. B

Substance number: 20802

Version: 2 / GB

Date revised: 04.12.2024

Replaces Version: 1 / GB

Print date: 04.12.2024

## SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
<b>14.1. UN number or ID number</b>	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
<b>14.2. UN proper shipping name</b>	-	-	-
<b>14.3. Transport hazard class(es)</b>		-	-
Label			
<b>14.4. Packing group</b>		-	-

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Other information

All components are contained in the TSCA inventory or exempted.

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

#### Hazard statements listed in Chapter 2/3

H372 Causes damage to organs through prolonged or repeated exposure.

#### CLP categories listed in Chapter 2/3

STOT RE 1 Specific target organ toxicity - repeated exposure, Category 1

#### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

# In accordance with legal regulations (REACH), hazardous substances contained in our products must be mentioned in section 3 or section 8. However, these substances only present a potential hazard in their original form, e.g. cristobalite, which can be inhaled.

Embedded in a silicone matrix, these substances are not longer powdery, liquid, etc and do not present a hazard in the sense of their original classification. Our silicone products are therefore not classified as hazardous substances.