

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Plastiform M90 Comp. A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Impressions of industrial parts

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

RIVELEC

Parc D'Activité Charles Martel-Larzat 202, Rue Gustave Courbet

34750 VILLENEUVE LES MAGUELONE

Telephone no. +33 (0)1 30 95 45 45

Fax no. +33 (0)1 30 95 77 77

Information provided by / telephone RIVELEC Département Recherche & Développement Tel.: +33 (0)1 30 95 45 45

E-mail address of person responsible infos@plastiform.info

for this SDS

1.4. Emergency telephone number

Australia : Poisons Information Centre - Phone number : 131126

Canada : American Association of Poison Control Centers - Phone number : 1-800-222-1222

India : Poison Control Centre - Phone number : +91 98 952 82 388

Japan : Osaka Information Service branch - Phone number : +81 (0)72 727 2499

New Zealand : New Zealand National Poisons Centre - Phone number : 800764766

South Africa : Tygerberg Poison Information Centre - Phone number : +27 (0)861 555 777

United Kingdom : National Poisons Information Service - Phone number : 8448920111

United States Of America : American Association of Poison Control Centers - Phone number : 1-800-222-1222

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Supplemental information

EUH210

Safety data sheet available on request.

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Kneadable, addition-vulcanising 2-component silicone

Hazardous ingredients

Cristobalite

CAS No. 14464-46-1

EINECS no. 238-455-4

Concentration \geq 50 %

Classification (Regulation (EC) No. 1272/2008)
STOT RE 1 H372

See additional
information in
section 16

White mineral oil

CAS No. 8042-47-5

EINECS no. 232-455-8

Registration no. 01-2119487078-27

Concentration \geq 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)
Asp. Tox. 1 H304

See additional
information in
section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures required

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Do NOT induce vomiting. Summon a doctor immediately.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Replaces Version: 1 / GB

Date revised: 05.12.2024

Print date: 05.12.2024

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe the usual precautions for handling chemicals. For personal protection see Section 8.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store product in closed containers.

Hints on storage assembly

Do not store together with foodstuffs.

Further information on storage conditions

Keep container tightly closed and dry.

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

White mineral oil

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Repeated exposure	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	164,6	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Repeated exposure	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	217,1	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	34,78	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	93,02	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	25	mg/kg/d

8.2. Exposure controls

General protective and hygiene measures

Observe the usual precautions for handling chemicals. Do not eat, drink or smoke during work time.
Wash hands before breaks and after work. Avoid contact with eyes.

Respiratory protection

Not necessary.

Hand protection

Not necessary.

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

Eye protection

Not necessary.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties**Physical state**

Kneadable

Colour

white

Odour

characteristic

Melting point

Remarks not determined

Freezing point

Remarks not determined

Boiling point or initial boiling point and boiling range

Remarks Not applicable

Flammability

evaluation not determined

Upper and lower explosive limits

Remarks not determined

Flash point

Remarks Not applicable

Auto-ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

pH value

Remarks not determined

Viscosity

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Vapour pressure

Remarks not determined

Density and/or relative densityValue 1,64 g/cm³

Temperature 20 °C

Relative vapour density

Remarks not determined

9.2. Other information**Odour threshold**

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)**White mineral oil**

Species	rat		
LD50	>	5000	mg/kg
Method	OECD	401	

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**White mineral oil**

Species	rabbit		
LD50	>	2000	mg/kg
Method	OECD	402	

Acute inhalational toxicity

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

White mineral oil

Species	rat			
LC50	>	5,2		mg/l
Duration of exposure		4	h	
Administration/Form	Dust/Mist			
Method	OECD 403			

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)

Cristobalite

Repeated exposure

evaluation Causes damage to organs through prolonged or repeated exposure
Route of exposure inhalative

Aspiration hazard

Based on available data, the classification criteria are not met.

Aspiration hazard (Components)

White mineral oil

Harmful: may cause lung damage if swallowed.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Other information

No toxicological data are available.

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

White mineral oil

Species	golden orfe (<i>Leuciscus idus</i>)		
LC50	>	10000	mg/l
Duration of exposure	96	h	
Method	OECD 203		

Daphnia toxicity (Components)

White mineral oil

Species	Daphnia magna		
LL50	>	100	mg/l
Duration of exposure	48	h	
Method	OECD 202		

White mineral oil

Species	Daphnia magna		
NOEL	>=	1000	mg/l
Duration of exposure	21	d	
Method	OECD 211		

Algae toxicity (Components)

White mineral oil

Species	<i>Pseudokirchneriella subcapitata</i>		
LOEC	>=	100	mg/l
Duration of exposure	72	h	
Method	OECD 201		

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

White mineral oil

Value	31	%
Duration of test	28	d
evaluation	Moderately/partially biodegradable	
Method	OECD 301 F	

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

White mineral oil

log Pow	4,3	to	18,02
Temperature	20	°C	
Source	ECHA		

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

Trade name: Plastiform M90 Comp. A

Substance number: 37301

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 2/3

H304 May be fatal if swallowed and enters airways.
 H372 Causes damage to organs through prolonged or repeated exposure.

CLP categories listed in Chapter 2/3

Asp. Tox. 1 Aspiration hazard, Category 1
 STOT RE 1 Specific target organ toxicity - repeated exposure, Category 1

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
 This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

In accordance with legal regulations (REACH), hazardous substances contained in our products must be mentioned in section 3 or section 8. However, these substances only present a potential hazard in their original form, e.g. cristobalite, which can be inhaled.
 Embedded in a silicone matrix, these substances are not longer powdery, liquid, etc and do not present a hazard in the sense of their original classification. Our silicone products are therefore not classified as hazardous substances.

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Plastiform M90 Comp. B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Impressions of industrial parts

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

RIVELEC

Parc D'Activité Charles Martel-Larzat 202, Rue Gustave Courbet

34750 VILLENEUVE LES MAGUELONE

Telephone no. +33 (0)1 30 95 45 45

Fax no. +33 (0)1 30 95 77 77

Information provided by / telephone RIVELEC Département Recherche & Développement Tel.: +33 (0)1 30 95 45 45

E-mail address of person responsible infos@plastiform.info

for this SDS

1.4. Emergency telephone number

Australia : Poisons Information Centre - Phone number : 131126

Canada : American Association of Poison Control Centers - Phone number : 1-800-222-1222

India : Poison Control Centre - Phone number : +91 98 952 82 388

Japan : Osaka Information Service branch - Phone number : +81 (0)72 727 2499

New Zealand : New Zealand National Poisons Centre - Phone number : 800764766

South Africa : Tygerberg Poison Information Centre - Phone number : +27 (0)861 555 777

United Kingdom : National Poisons Information Service - Phone number : 8448920111

United States Of America : American Association of Poison Control Centers - Phone number : 1-800-222-1222

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Supplemental information

EUH210

Safety data sheet available on request.

2.3. Other hazards

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Kneadable, addition-vulcanising 2-component silicone

Hazardous ingredients

Cristobalite

CAS No. 14464-46-1

EINECS no. 238-455-4

Concentration \geq 50 %

Classification (Regulation (EC) No. 1272/2008)
STOT RE 1 H372

See additional
information in
section 16

White mineral oil

CAS No. 8042-47-5

EINECS no. 232-455-8

Registration no. 01-2119487078-27

Concentration \geq 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)
Asp. Tox. 1 H304

See additional
information in
section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures required

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Do NOT induce vomiting. Summon a doctor immediately.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Recommended: alcohol resistant foam, CO₂, powders, water spray/mist, Extinguishing measures to suit surroundings

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not allow to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Clean contaminated floors and objects thoroughly, observing environmental regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Observe the usual precautions for handling chemicals. For personal protection see Section 8.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store product in closed containers.

Hints on storage assembly

Do not store together with foodstuffs.

Further information on storage conditions

Keep container tightly closed and dry.

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

Derived No/Minimal Effect Levels (DNEL/DMEL)

White mineral oil

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Repeated exposure	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	164,6	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Repeated exposure	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	217,1	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	34,78	mg/m ³
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	93,02	mg/kg/d
Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Repeated exposure	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	25	mg/kg/d

8.2. Exposure controls

General protective and hygiene measures

Observe the usual precautions for handling chemicals. Do not eat, drink or smoke during work time.
Wash hands before breaks and after work. Avoid contact with eyes.

Respiratory protection

Not necessary.

Hand protection

Not necessary.

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

Eye protection

Not necessary.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties**Physical state**

Kneadable

Colour

dark grey

Odour

characteristic

Melting point

Remarks

not determined

Freezing point

Remarks

not determined

Boiling point or initial boiling point and boiling range

Remarks

Not applicable

Flammability

evaluation

not determined

Upper and lower explosive limits

Remarks

not determined

Flash point

Remarks

Not applicable

Auto-ignition temperature

Remarks

not determined

Decomposition temperature

Remarks

not determined

pH value

Remarks

not determined

Viscosity

Remarks

not determined

Solubility(ies)

Remarks

not determined

Partition coefficient n-octanol/water (log value)

Remarks

not determined

Vapour pressure

Remarks

not determined

Density and/or relative density

Value

1,66

g/cm³

Temperature

20

°C

Relative vapour density

Remarks

not determined

9.2. Other information**Odour threshold**

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

Remarks not determined

Evaporation rate (ether = 1) :

Remarks not determined

Solubility in water

Remarks virtually insoluble

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Acute oral toxicity**

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)**White mineral oil**

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)**White mineral oil**

Species	rabbit		
LD50	>	2000	mg/kg
Method	OECD 402		

Acute inhalational toxicity

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

Remarks Based on available data, the classification criteria are not met.

Acute inhalative toxicity (Components)

White mineral oil

Species	rat			
LC50	>	5,2		mg/l
Duration of exposure		4	h	
Administration/Form	Dust/Mist			
Method	OECD 403			

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) (Components)

Cristobalite

Repeated exposure

evaluation Causes damage to organs through prolonged or repeated exposure
Route of exposure inhalative

Aspiration hazard

Based on available data, the classification criteria are not met.

Aspiration hazard (Components)

White mineral oil

Harmful: may cause lung damage if swallowed.

11.2. Information on other hazards

Endocrine disrupting properties with respect to humans

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

Other information

No toxicological data are available.

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

White mineral oil

Species	golden orfe (<i>Leuciscus idus</i>)		
LC50	>	10000	mg/l
Duration of exposure	96	h	
Method	OECD 203		

Daphnia toxicity (Components)

White mineral oil

Species	Daphnia magna		
LL50	>	100	mg/l
Duration of exposure	48	h	
Method	OECD 202		

White mineral oil

Species	Daphnia magna		
NOEL	>=	1000	mg/l
Duration of exposure	21	d	
Method	OECD 211		

Algae toxicity (Components)

White mineral oil

Species	Pseudokirchneriella subcapitata		
LOEC	>=	100	mg/l
Duration of exposure	72	h	
Method	OECD 201		

12.2. Persistence and degradability

General information

not determined

Biodegradability (Components)

White mineral oil

Value	31	%
Duration of test	28	d
evaluation	Moderately/partially biodegradable	
Method	OECD 301 F	

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

Octanol/water partition coefficient (log Pow) (Components)

White mineral oil

log Pow	4,3	to	18,02
Temperature	20	°C	
Source	ECHA		

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

The product contains no PBT substances

The product contains no vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

General information

not determined

General information / ecology

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

Trade name: Plastiform M90 Comp. B

Substance number: 37302

Version: 2 / GB

Date revised: 05.12.2024

Replaces Version: 1 / GB

Print date: 05.12.2024

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number or ID number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 2/3

H304 May be fatal if swallowed and enters airways.
H372 Causes damage to organs through prolonged or repeated exposure.

CLP categories listed in Chapter 2/3

Asp. Tox. 1 Aspiration hazard, Category 1
STOT RE 1 Specific target organ toxicity - repeated exposure, Category 1

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.

In accordance with legal regulations (REACH), hazardous substances contained in our products must be mentioned in section 3 or section 8. However, these substances only present a potential hazard in their original form, e.g. cristobalite, which can be inhaled.
Embedded in a silicone matrix, these substances are not longer powdery, liquid, etc and do not present a hazard in the sense of their original classification. Our silicone products are therefore not classified as hazardous substances.